





instructions 010




nado[®]






ENGLISH


11








2a









9 kg-18 kg (76-105cm)


2b



15 Kg - 36 kg (105-135 cm)









Warnings

12

General overview

14

1. Installing the 010 safety seat

15

2. Fastening the child into the 010 safety seat

16

3. Using the 010

17

Maintenance

18

EN

NADÓ

11

WARNINGS

This child restraint system has been approved under Standard ECE 44 04 to be used by children weighing between 9 kg and 36 kg.

Please do not leave the child unattended inside the vehicle.

It is advisable to move the front seat of the vehicle as far forward as possible.

Please read the instructions carefully. Incorrect installation of the child restraint system could cause serious consequences for the child. In the case of incorrect installation the manufacturer is in no way responsible.

This safety seat is classed as ISOFIX UNIVERSAL. It is approved under Standard 44 04 ECE for use in vehicles with the ISOFIX anchoring system.

It may be installed in vehicles with approved ISOFIX positions (as detailed in the manual from your vehicle manufacturer) depending on the restraint system category and the space it takes up.

The mass group and the ISOFIX category for which this system is approved is from 9-18 kg and B1. Check your vehicle instruction manual to make sure that ISOFIX category B1 child safety seats are suitable for your vehicle.

Do not use the safety seat without the cover and the harness pads. Protect the child restraint system from direct contact with sunlight, the plastic and metal parts may heat up and burn the child.

Keep the child restraint system away from corrosive liquids, paints or solvents that could damage the seat.

When the device is used in combination with an adultsafety-belt to be used by means of the following wording: Only suitable for use in the listed vehicles fitted with 3 point safety-belts, approved to ECE Regulation No. 16 or other equivalent standards.



The importance of ensuring that any lap strap is worn low down, so that the pelvis is firmly engaged, shall be stressed.

It shall be recommended that any straps holding the restraint to the vehicle should be tight, that any straps restraining the child should be adjusted to the child's body, and that straps should not be twisted.

In the event of an accident the child restraint system should be replaced, even if it is not visibly damaged. The product may have internal damage that is not visible and that may compromise the child's safety.

Stop for breaks on your journey so the child can walk about and play out of the safety seat. It is not advisable to travel for more than 2 hours without stopping for a break. For babies this advice is particularly important.

Make sure that the child's fastening harness is fitted correctly and not twisted at all.

The textile cover is an essential part of the child restraint system. It must not be replaced by another cover without explicit authorisation from the manufacturer.

Do not alter the product, by adding or removing any of the accessories.

Follow the product assembly instructions carefully.

Do not leave any luggage on the parcel shelf without securing it as in the event of an accident it could cause significant injury to the passengers in the vehicle.

If you have any queries please contact:

NADÓ

www.babybecool.es

EN


NADÓ

13



NADÓ

14

1. Headrest
 2. Adjustment handle for the headrest and sides
 3. Upper belt guide
 4. Top tether hook
 5. Side
 6. 5-point harness
 7. Lower belt guide
 8. Tensor
 9. Instruction manual
 10. Isofix
 11. Isofix release button
 12. Isofix slide lever
 13. Top tether
- 

1. INSTALLING THE SAFETY SEAT

Installation from 9 kg up to 18 kg (76-105cm):

1a. Slide the Isofix anchors (11) to their maximum length by turning the lever (13). Do this on both sides of the seat.

1b. Open the cover (4) and take the top tether connector out (14).

1c. Connect the Isofix anchors until you hear them click into place. The display window on the button (12) will turn from red to green.

1d. Push the seat as far back as possible. Make sure that both Isofix are in the same position once you have pushed the seat back.

1e. Connect the Top Tether in the anchor point intended for this in the vehicle marked with the symbol:



1f. Lastly, tighten the strap of the TT system until the green signal is displayed on the indicator. The strap should go over the backrest of the vehicle seat. If necessary raise the headrest or remove it to enable correct installation.

The ISOFIX visual indicators show whether the connector is open or closed. The connector may be closed without being secured in the ISOFIX anchor. Please make sure that the connectors are correctly fastened into the anchor points of the vehicle by pulling the seat once it has been installed.

To detach the seat follow the same steps in reverse:

1g. Move the button (12) to open the connector and release the anchors.

Installation from 15 kg up to 36 kg (105-135cm):

Follow the same steps as before, **1a**, **1b**, **1c**, and **1d**. In this case you should not connect the Top Tether.

There is also the possibility of installing the child seat only with the car seat belt.

2. FASTENING THE CHILD INTO THE SAFETY SEAT

The 010 safety seat may be used for the following weight ranges:

- 2a. 9 kg-18 kg using the safety harness
- 2b. 15 kg -36 kg the safety harness should be stored away and the child should be secured with the vehicle seat belt.

Storing the safety harness away:

Once the child has reached a weight of 18 kg (105 cm approx) the harness should be stored away and the child should be secured with the vehicle seat belt.

- 2c. To store the harness away it needs to be fully loosened first, lift the lid found in the cushion, and store the buckle parts in the compartment. Then put the cover back on the seat.

Safety harness: 9kg-18 kg

- 3a. Loosen the harness by pressing the button and pulling the diagonal part of the harness straps. Unfasten the buckle by pressing the red button. Move the ends of the buckle to each side of the seat so you can put the child in the seat. Position the child in the seat and put the strap over him on the both sides, and then fasten the buckle.

- 3b. Tighten harness by pulling the lower strap A To get the child out of the seat follow the same process in reverse.

The strap is at the correct tension when you can place a finger between the child's chest and the harness.

- 2a. Make sure that the height of the harness is correct as shown in the diagram. To get the child out of the seat follow the same process in reverse.



3. USING THE O10

Seat belt: from 15 kg-36 kg

2b. With the child in place in the seat put the seat belt on passing it through the guide (2). Fasten the seat belt buckle and make sure the belt is not too loose by gently pulling the diagonal part of the belt before placing the belt over the child's chest.

Seat extension system.

Once the child reaches 18 kg (105 cm approx.) the seat grows with him.

5a. Press the lever (3) and pull the headrest upwards and the seat will extend to suit your child's height. The harness will automatically move upwards without you having to do anything.

Make sure that the belt guide is about 2 centimetres above the child's shoulder.

2d. If you need to lower the position of the harness move the upholstery of the headrest upwards and press the lever to move the part marked push downwards.

EN

NADÓ

17

MAINTENANCE

Fitting / removing the cover

It is very easy to take the cover off. The cover has 7 fastening points on the front part. Simply unfasten these points and then gently pull the front part of the cover.

On the sides of the seat there are some plastic parts that are used to fasten the cover. Simply pull these gently to take the cover off.

To put the cover back on again just follow the same process in reverse. Fit the parts into the slots for the sides.

Cleaning

The cover can be machine washed using mild detergent and at a maximum temperature of 30°. Please see the washing instructions on the care label of the cover.

Do not tumble dry as this could cause the padding to come away from the fabric.

Do not expose the upholstery to sunlight for prolonged periods; when the seat is not in use cover it up or store it in the vehicle boot.

The plastic parts can be cleaned with a damp cloth and neutral detergent.

Recommendations

Keep this instruction book for future reference. Always store it in the compartment under the base.


In the vehicle make sure that all luggage, as well as any other object that could cause injury in the event of an accident, is correctly secured or stored.

APPROVED CARS FOR O10

Follow this vehicle list when installing the child restraint system with G2-3 (15 to 36kg) "semi-universal" approval with additional lower anchorages.

ATTENTION! Ensure that your child is always secured with 3-point belt when lower anchorages are used.

This list is always in revision. Please check also your vehicle manual specifications.



Car manufacturer	Model	1st year of production	Approved seats
ALFA ROMEO *			
	MITO (Facelift 2013)	2008	2-4
	Giulietta (Facelift 2013)	2010	2-4
AUDI *			
	A1 3/5 (Facelift 2015)	2012	2-4
	A3 (8V)	08/12	2-4
	A3 Sportsback (8V)	2013	2-4
	A4 Avant (Facelift 2011)	2007	2-4
	A6 Avant (Facelift)	2014	2-4
	A8 (4H)	02/10-2013	2-4
	SQ5 (8R)	01/13	2-4
	Q3 (Facelift 2014)	2011	2-4
	Q5 (Facelift 09/12)	2008	2-4
	Q7	06/15	2-3-4-5-7
BMW *			
	1 (E81)	5/07-2012	2-4
	1 (E81) 4	5/07-2012	2-4
	1 (E82)	2007	2-4
	1 (E87)	03/07-2012	2-4
	1 (E88)	2008	1-2-4
	1 (F20)	09/11	2-4
	1 (F21)	06/12	2-4
	2 (F45) Active Tourer	03/14	2-4
	2er (F46) Grand Tourer	03/15	2-4
	3 (E90)	2005	2-4
	3 (E92)	2005	2-4
	3 (F30)	02/12	2-4
	3 (F31)	09/12	2-4
	3 GT (F34)	06/13	2-4
	3 Touring (E91)	09/08-2012	2-4
	4 (F32)	2013	2-4
	4 (F36) Grand Coupe	2014	2-4
	5 Gran Turismo (F07)	08/09	2-4
	5 Touring (F11)	06/10-2013	2-4
	5 Touring (F11) (Facelift)	07/13	2-4
	5 Touring (E61)	2003-2010	2-4
	7 (E65) (Facelift 2005)	2001-2008	2-4
	7 (F01)	11/08-2012	2-4
	7 (7L) (Facelift)	07/12	2-4
	M5 (F10)	11/11	2-4
	Cruze (EB)	2012	2-4
	HHR (2LT)	02/08	2-4
	Malibu	2011	2-4
	Matiz II (KLAK)	2005	2-4
	Orlando (KL1Y)	03/11	2-4
	Spark (KL1M)	03/10	2-4
	Spark (KL1M) (Facelift)	01/13	2-4
	TRAX (KL1B)	04/13	2-4
	Volt (D1JCI)	10/11	2-4
CITROEN *			
	Berlingo Multispace (Facelift 2012)	2008	2-4

Car manufacturer Model 1st year of production Approved seats

Berlingo II (F) (Facelift)	04/12	2	4	
C-Crosser (V)	06/07-2012	2	4	
C1	2012	2	4	
C3 (F)	01/10-03/13	2	4	
C3 Picasso (SH)	2009	2	4	
C4 (L)	2004-2010	2	4	
C4 (L) 3	2004-2010	2	4	
C4 II (N)	10/10	2	4	
C4 Aircross (B)	06/12	2	4	
C4 Grand Picasso (U)	11/06-1010	2	3	4
C4 Grand Picasso (U)(Facelift)	11/10-2013	2	3	4
C4 Grand Picasso	2013	2	3	4
C4 Picasso (U)	10/06-10/10	2	3	4
C4 Picasso (U) (Facelift)	10/10	2	3	4
Mini 2 (R56) (Facelift)	11/06	2	4	
Mini (F55) 5	10/14	2	4	
Mini (F56) 3	03/14	2	4	
Mini Clubman (R55)4	09/07	2	4	
Mini Countryman(UK LX)(R60)4	09/10	2	4	
Mini Countryman(UK LX)(R60)5	09/10	2	4	
Mini Countryman(R60)5(Facelift)	10/12	2	4	
X1 (E84)	10/09-2012	2	4	
X1 (E84) (Facelift)	06/12	2	4	
X3 (E83)	01/04-2010	2	4	
X3 (F25)	11/10	2	4	
X5 (E53)	1999-2006	2	4	
X5 (X70_E70)	03/07-2013	2	4	
X5 (F15)	2013	2	4	
X6 (E71) 1.35m	2008-2012	2	4	
X6 (X6_E71) (Facelift)	06/12	2	4	
Z4 ;	2002	2	4	

CHEVROLET *

Aveo (T250)	2006	2	4	
Aveo (KL1T)	09/11	2	4	
Captiva (KLAC)	10/06	2	4	
Captiva (KLAC)(Facelift)	2011	2	4	
Cruze (KL1J)	08/11	2	4	
Cruze SW (KL1J)	09/12	2	4	
C4 Picasso singleseats (3)	10/10	2	3	4
C4 Picasso	2013	2	3	4
C5 Tourer (R)	04/08-2010	2	4	
C5 Tourer (R)(Facelift)	12/10	2	4	
DS3 (S)	03/10	2	4	
DS3 (S)	03/13	2	4	
DS4 (N)	03/11	2	4	
DS5 (K)	03/12	2	4	
Jumpy	2012	2	4	
Nemo (A)	2007	2	4	
Dokker (SD)	02/13	2	3	4
Lodgy (SD)	06/13	2	4	

DACIA *



Car manufacturer	Model	1st year of production	Approved seats
------------------	-------	------------------------	----------------

FIAT *

Logan MCV (SR)	06/13	24
Sandero (SD)	06/08-2012	24
Sandero II (SR)	11/12	24
500 (312)	10/07	24
500L (312)	10/12	24
Bravo (198)	07/07	24
Chroma (194)	05/05	24
Doblo (263)	02/10	24
Freemont (JC)	09/11	24
Grande Punto (199)	01/06	24
Idea (350)	2003	24
Panda (319)	03/12	24
Punto (199) 3(Facelift)	02/12	24
Qubo (255)	02/08	24

FORD *

B-Max	06/12	24
C-Max	2010	24
Fiesta	2012	24
Focus	2011	24
Focus Turnier	2015	24
Galaxy (Facelift 2010)	2006	23,4
Kuga	2008-2012	24
Kuga	2013	24
Mondeo Estate (Ba7) (Facelift)	2010	24
Mondeo (Facelift 2010)	2007-2014	24
Mondeo ;	2014	24
S-MAX (Facelift 2010)	2006	23,4
Tourneo Custom	2012	23,6
EC7	2011	24

GEELY EMGRAND *

HONDA *

Accord (Facelift 2011)	2008	24
Civic	2006-2011	24
CRV (Facelift 2011)	2006	24
CRV (Facelift 2010)	2006-2012	23,4
CR-V (Facelift)	2015-2017	23,4

HYUNDAI *

Genesis (Bk38)	09/10	24
Getz (TB)	2005-2009	24
i10 (PA) (Facelift)	02/11-2013	24
i20 (PBT) 3(Facelift)	06/12	24
i20 (PBT) 5(Facelift)	06/12	24
i30 (FD)	07/07-2010	24
i30 (FDH)	07/10-2012	24
i30 CW (FD)	2008-2010	24
i30 CW (FDH)	2010-2012	24
i40 CW (VF)	06/11	24
iX20 (JC)	11/10	24
iX35 (ELH)(Facelift 2013)	2009-2015	24
Santa Fe (CM) (Facelift)	01/10-2011	24

Car manufacturer	Model	1st year of production	Approved seats	
JAGUAR *	Santa Fe (DM)	09/12	2-4	
	Veloster (FS)	04/11	2-4	
KIA *	XF	2011	2-4	
	F-Pace (761)	2016	2-4	
	XF (X260)	2015	2-4	
	Carens (RP)	03/13	2-4	
	Cee'd (ED) (Facelift)	10/10	2-4	
	Cee'd sw (ED) (Facelift)	2009	2-4	
	Cee'd sw (JD) (Facelift)	09/12	2-4	
	Picanto (SA)	04/04	2-4	
	Pro Cee'd (ED)(Facelift)	01/11	2-4	
	Rio	2011	2-4	
LAND ROVER *	Sorento (XM) (Facelift)	10/12	2-4	
	Soul (AM)	2008-2011	2-4	
	Soul (AM) (Facelift)	10/11	2-4	
	Sportage (JES)	01/08	2-4	
	Sportage (SL)	08/10	2-4	
	Discovery 4	2006-2013	2-4	
	Freelander II	2006-2013	2-4	
	LEXUS *	CT 200h (A10(A))	03/11	2-4
		RX (HAL 1)	04/09	2-4
		RX 450h (HAL1(A))	07/12	2-4
MAZDA *	2 (DE)	09/07	2-4	
	C(Facelift 2004)	2000-2007	2-4	
	C (W204)	2007	2-4	
	C (S204)	2007	2-4	
	C	2011	2-4	
	C (204)	03/11	2-4	
	C (S205)	2014	2-4	
	E (W212 ; S212)	2009	2-4	
	E (C207)	2009	2-4	
	GLK	2008	2-4	
	G-Klasse (G55 AMG) (Facelift)	2007	2-4	
	GLA (X156)	2014	2-4	
	GLK (Facelift 2013)	08/08	2-4	
	ML (W164)	07/05	2-4	
R (W251/W251)	12/05	2-4,5,7		
Sprinter	2013	2-3		
V-Klasse	2014	2-4,5,6,7		
MG *	6	2011	2-4	
NISSAN *	Juke (F15)	10/10	2-4	
	Leaf (ZEO)	04/12	2-4	
	Micra (K12)	2003-2005	2-4	
	Micra (K13)	11/10-2013	2-4	



Car manufacturer	Model	1st year of production	Approved seats
	Micra C+C (K12)	09/05-2009	(2-4)
	Murano (Z51)	09/08-2011	(2-4)
	2 (DEE) (Facelift)	10/10	(2-4)
	3 (BK)	11/03	(2-4)
	3 (BL)	01/09	(2-4)
	3 (BL) (Facelift)	09/11	(2-4)
	3 MPS (BL)	10/12	(2-4)
	5 (CR1)	2008	(2-4)
	5 (CW)	10/10	(2-4)
	5 (CW) (Facelift)	03/13	(2-4)
	6 (GG)	01/02	(2-4)
	6 (GJ)	02/13	(2-4)
	6 (GH)	02/08	(2-4)
	6 (GH)(Facelift)	2010	(2-4)
	6 (GH)(Facelift)	2010	(2-4)
	6 Sport (GY)	01/02	(2-4)
	CX-5 (KE)	04/12	(2-4)
	CX-7 (ER)	08/07	(2-4)
	CX-7 (ER) (Facelift)	10/09	(2-4)
MERCEDES *			
	A	05/05	(2-4)
	B (Facelift 2008)	06/05	(2-4)
	B	2011	(2-4)
	Murano (Z51) (Facelift)	01/12	(2-4)
	Navara(D40)(Facelift)(Crew Cab)	04/10	(2-4)
	Note (E11) (Facelift)	2009-2013	(2-4)
	Plixo (HF)	2009-2013	(2-4)
	Pulsar	2014	(2-4)
	Qashqai+2 (J10)(Facelift)	03/10	(2-4)
	Qashqai	2015	(2-4)
	Qashqai (Facelift 2010)	12/06-11/13	(2-4)
	X-TRAIL (T31)	06/07-2010	(2-3-4)
	X-TRAIL 5 + 7	2014	(2-4)
MITSUBISHI *			
	ASX (Facelift 2012)	2010	(2-4)
INFINITI *			
	M35h (Y51H)	09/11	(2-4)
OPEL *			
	Adam (S-D)	01/13	(2-4)
	Agila (H-B)	04/08-2012	(2-4)
	Ampera (D1JOI)	11/11	(2-4)
	Astra J (PJ-SW)	12/09-2012	(2-4)
	Astra J GTC (PJ-SW)	01/12	(2-4)
	Astra J Sports Tourer(PJ-SW)	11/10-2012	(2-4)
	Astra Sports Tourer(Facelift 2012) 2009	2009	(2-4)
	Astra (Facelift 2012)	2010	(2-4)
	Aniara (L-A) (Facelift)5	2010	(2-4)
	Corsa D (S-D) 3(Facelift)	01/11	(2-4)
	Corsa D (S-D) (Facelift)	01/11	(2-4)
	Insignia (OG-A) 5(Facelift)	08/11	(2-4)
	InsigniaS Tourer(Facelift 2011) (OG-A) 08/11		(2-4)

Car manufacturer	Model	1st year of production	Approved seats
PEUGEOT *	InsigniaS Tourer(Facelift 2013)	2009	2(4)
	Meriva B (S-D)	06/10	2(4)
	Mokka (E-V)	10/12	2(4)
	Zafira B (A-H)	2005-2008	2(4)
	Zafira B (A-H) (Facelift)	2008-2012	2(4)
	Zafira C Tourer(P-J SW)	01/12	2(4)
	107	2012	2(4)
	207 (W)	05/06-2009	2(4)
	207 CC (W)	2007	1
	207 SW (W)	05/06-06/09	2(4)
	207 SW (W) (Facelift)	06/09-2013	2(4)
	208 (C) 3	04/12	2(4)
	208 (C) 5	04/12	2(4)
	308 (4)	09/07	2(4)
	308 (4) (Facelift)	05/11	2(4)
	308 SW (4) (Facelift)	05/11	2(3,4)
308 SW seatbench (4)	2008	2(4)	
508 (8)	03/11	2(4)	
RENAULT *	Captur	2013	2(4)
	Clio (R) 3	05/09-01/12	2(4)
	Clio (R) 5	05/09	2(4)
	Clio Campus (B) 3	2009	2(4)
	Clio Grandtour (R)	01/08	2(4)
	Clio IV (X98)	10/12	2(4)
	Clio IV Grandtour(X98)	10/12	2(4)
	Espace 4 (K)	03/06-2010	2(4)
	Espace 4 (K) (Facelift)	12/10	2(4)
	Fluence (Z) (Facelift)	08/10	2(4)
	Fluence (ZE)	2011	2(4)
	Grand Modus (P)	2008	2(4)
	Grand Scénic (JZ)(Facelift)	01/12	2(4)
	Kangoo (W)	01/08-2012	2(4)
	Koleos (Y)	09/08-10/11	2(4)
	Koleos (Y) (Facelift)	10/11	2(4)
	Laguna 2 (Y)	02/01-2005	2(4)
	Laguna 3 Grandtour(T)	03/08-2010	2(4)
	Laguna 3 Grandtour(T) (Facelift)	11/10	2(4)
	Mégane 2 CC (M)	01/06-2010	2(4)
	Mégane 2 Grandtour(M)	2003-2009	2(4)
	508 SW (8)	03/11	2(4)
	508 RXH SW (8)	02/12	2(4)
	1007 (K)	04/05-2009	2(4)
	2008 (C)	06/13	2(4)
	3008 (OU)	2009	2(4)
4007 (V)	09/07	2(3,4)	
4008 (B)	06/12	2(4)	
5008 (O) (Facelift 2013)	2009	2(3,4)	
Expert Tepee (B299)	2007	2(4)	
Expert Tepee (B229)8 (Facelift)	2012	2(4)	



Car manufacturer	Model	1st year of production	Approved seats	
PORSCHÉ *	Expert Tepee (B299)9 (Facelift)	2012	2(4)	
	Partner Tepee (7)	05/08	2(4)	
	RCZ (4J)	04/10	2(4)	
PORSCHÉ *	RCZ (4J) (Facelift)	01/13	2(4)	
	Cayenne (Facelift 2007)	2002-2010	1(2)(4)	
	Panamera	2009	2(4)	
RANGE ROVER *	Evoque	2011	2(4)	
RANGE ROVER *	50Mégane 3 (Z) 5	11/08-2012	2(4)	
	Mégane 3 (Z)	2009-2012	2(4)	
	Mégane 3 (Z)(Facelift)	2012	2(4)	
	Mégane 3 Grandtour(Z)	06/09	2(4)	
	Modus (P)	2005	2(4)	
	Scénic 2 (JM) (Facelift)	01/07-2009	2(4)	
	Scénic 3 (JZ)	04/09-2012	2(4)	
	Scénic 3 (JZ) (Facelift)	01/12	2(4)	
	Scénic XMOD (JZ)	04/13	2(4)	
	Twingo 1 (C06) (Facelift)	01/02	2(4)	
	Twingo 2 (N)	09/07-2012	1(2)(4)	
	Twingo 2 (N) (Facelift)	01/12	1(2)(4)	
	SEAT *	Alhambra	12/12	2(3)(4)(5)(7)
	SEAT *	Exeo (3R)	2009-2011	2(4)
Exeo (3R) (Facelift)		12/11	2(4)	
Exeo ST (3R)		06/09-2011	2(4)	
Exeo ST (3R)(Facelift)		12/11	2(4)	
Leon (5F)		11/12	2(4)	
Leon 5		2012	2(4)	
Leon SC (5F)		06/13	2(4)	
Leon ST		2012	2(4)	
Mii (AA) 3		04/12	2(4)	
Toledo (NH)		11/12	2(4)	
SKODA *		Citigo (AA) 3	06/12	2(4)
SKODA *		Fabia 2 (5J)(Facelift)	09/10	2(4)
		Octavia 3 (5E)	02/13	2(4)
		Octavia 3 (5E)	05/13	2(4)
	Octavia Estate (1Z)(Facelift)	2009-2013	2(4)	
	Octavia (Facelift)	2009-2011	2(4)	
	Rapid (NH)	10/12	2(4)	
	Roomster (5J)	03/07-2010	2(4)	
	Roomster (5J) (Facelift)	05/10	2(4)	
	Superb(Facelift 2013)	2008-2015	2(4)	
	Superb(Facelift 2013)	2008-2015	2(4)	
	Yeti	2009	2(4)	
	SMART *	FORTWO (Typ 453)	2014	1
	SUBARU *	Forester	2012	2(4)
	SUBARU *	Forester (Facelift 2010)	2008-2013	2(4)

Car manufacturer	Model	1st year of production	Approved seats
------------------	-------	------------------------	----------------

SUZUKI *

XV		2011	2④
Alto (GF)		03/08	2④
Grand Vitara (JT)3		09/05	2③④
Avensis (T27)		2008-2011	2④
Avensis (T27) (Facelift)		2012	2④
Avensis (T27)(Facelift)		01/12	2④
Camry (R1)		06/13	2④
Corolla Verso (R1)		2004-2009	2④
GT86 (ZN)		09/12	2④
iQ (AJ1)		06/10-2014	2④
Land Cruiser (J15)(Facelift)		04/12	2③④
Prius 2 (NHW20)		2003-2009	2④
Prius 3 (Vw3)		01/02-2012	2④
Prius + (XW4)		06/12	2④
RAV4 (Xa3)		03/06-02/09	2④
RAV4 (XA3) (Facelift)		05/10-03/13	2④
RAV4		2013	2④
Urban Cruiser (XP11)		04/09	2④
Verso S (XP12)		03/11	2④
Yaris 2 (XP9) (Facelift)		2009-2011	2④
Yaris 3 (XP13) 3		10/11	2④
Yaris 3 (XP13) 5		10/11	2④

VOLVO *

C30 1) 3	1.35m	2006	2④
S60 (F)		03/10	2④
Grand Vitara (JT)5		09/05	2③④
Jimmy (FJ) (Facelift)		12/12	2④
Splash (EX)		04/08	2④
Splash (EX) (Facelift)		05/12	2④
Swift (MZEZ)		01/05	2④
Swift (NZ)		09/10	2④
SX4 (EY and GY)		12/10	2④

TOYOTA *

Auris (E150) 5		03/07-02/10	2④
Auris (E150) 3(Facelift)		03/10-08/12	2④
Auris (E150) 5(Facelift)		03/10-2012	2④
Auris (E180) 5		01/13	2④
Auris Hybrid (HE15U)		09/10-2012	2④
Auris Touring Sports(HE180)		07/13	2④
Avensis (T25)		01/03-2008	2④
S80 (A)		05/07-2009	2④
V40 (M)		09/12	2④
V40 Cross Country (M)		01/13	2④
V60 (F)	1.35m	2010-2013	2④
V60 (F) (Facelift)		06/13	2④
V70 1)		2000-2007	2④
V70 (B)		06/07-2011	2④
V70 (B) (Facelift)		08/11-2013	2④
XC60 (D)		01/08-2013	2④
XC60 (Facelift 2013)		2008	2④

Car manufacturer	Model	1st year of production	Approved seats
VW *	XC70 (P24)	06/07-2011	24
	XC70 (B) (Facelift)	08/11-2013	24
	XC90 1.5+7	2002	24
	XC90 (C)	05/06-2010	24
	XC90 (C) (Facelift)	12/11	24
	Amarok (2H)	09/10	24
	Amarok	2010	24
	Beetle (16)	11/11	24
	Beetle (16)	11/12	24
	Caddy (Facelift 2010)	2003	24
	Caddy	03/15	24
	Caddy Alltrack	02/16	24
	Golf II	2013	24
	Golf 5 (1K)	2004-2008	24
	Golf 5 GTI (1K)	2004-2008	24
	Golf 5 Variant (1KM)	06/07-2009	24
	Golf 6 (1K)	10/08	24
	Golf 6 R (1K)	11/09	24
	Golf 6 (1K)	06/11	24
	Golf 6 Plus (1KP)	2009	24
	Golf 6 Variant (1KM)	05/09	24
	Golf 7	08/12	24
Golf 7 GTI	03/13	24	
Golf Sportsvan	02/14	24	
Jetta	2011	24	
Passat B6 (3C)	2005-2010	24	
Passat B7 (32)	10/10	24	
Passat B7 Alltrack (3C)	02/12	24	
Passat B7 Variant (32)	11/10	24	
Passat B8	2014	24	
Passat CC (3CC) 1,35m	2008	24	
Polo 4 (9N)	11/01-2005	24	
Polo 4 (9N3) 5(Facelift)	2005-2009	24	
Polo 5 (R)	03/09	24	
Polo 5 Crosspolo (6R)	04/10	24	
Scirocco (13)	07/08	24	
Sharan 2 (7N)	09/10	24	
T5 Multivan(Facelift 2009)	2003	24	
T5 Multivan(Facelift 2013)	2013	24	
T6 Multivan	2015	24	
Tiguan (5N)	2007-2011	24	
Tiguan (5N) (Facelift)	07/11	24	
Tiguan II	2016	24	
Touareg (7L)(Facelift 2006)	10/02-04/10	1 24	
Touareg C2 (7P)	04/10	24	
Touran	2003	24	
Touran GP2	2010	24	
Touran II	05/15	24	
Up (AA) 3	12/11	24	
Up (AA) 5	05/12	24	







nadO[®]

O10

UNIVERSAL ISOFIX
9 - 18 Kg Y

**UNIVERSAL/
SEMI-UNIVERSAL**
15 - 36 Kg

 **B1** 

044692
ECE R44/04



nadO[®]