



Life is Precious.
Be Safe

Koopers Distribution Sdn Bhd

☎ 03-78324338

🌐 www.koopers.co

📘 www.facebook.com/koopersmalaysia

✉ sales@koopers.co

📍 18-1, Jalan Bulan U5/BM, Section U5, Bandar Pinggiran Subang,
40150 Shah Alam, Selangor
Malaysia




Life is Precious.
Be Safe

Snug+

Group II III

*Applicable to 15-36kg
4 - 12 years old*



Instruction Manual


CONTENTS

SAFETY TIPS BEFORE USAGE	01
SPARE PARTS	03
INATALLATION WAY OF GROUP II,III	05
ADJUSTMENT OF THE HEADREST	06
REMOVE/INSTALL SEAT COVER	07
MAINTENCANCE OF THE CHILD SAFETY SEATS	11

SAFETY TIPS

Notice

1. This is a "Universal" child restraint. It is approved to Regulation No. 44, 04 series of amendments, for general use in vehicles and it will fit most, but not all, car seats.
2. A correct fit is likely if the vehicle manufacturer has declared in the vehicle handbook that the vehicle is capable of accepting a "Universal" child restraint for this age group.
3. This child restraint has been classified as "Universal" under more stringent conditions than those which applied to earlier designs which do not carry this notice.
4. If in doubt, consult either the child restraint manufacturer or the retailer.



Buckle of vehicle 3 point safety belt can't touch the CRS.



The CRS can't touch buckle of vehicle 3 point safety belt.

WARNING



It is not allowed to use only 2 point vehicle safety belt.

Please use 3 point vehicle safety system.

This CRS is only used for vehicles equipped with 3 point retractor' safety belts of passing ECE16.



The back seats of vehicles are the safest position for child below 12 years old. The CRS have to be installed on a forward-facing car seats. It is not allowed to use on side-facing or rearward facing car seats. If there is any doubt about the installation of the CRS, please contact your vehicle supplier. The position of this model or other any CRS is not installed appropriately in the car, as following pictures:



Incorrect Position

The installing position must equip with vehicle 3 point safety belt.

Correct Position




SAFETY TIPS BEFORE USAGE



WARNINGS !

In order to ensure that your child get strongest protection , Please read this instruction manual carefully before using the CRS

- This CRS is used for children weighing from 15 to 36kgs.
- The CRS has to be used on a vehicle fitted with 3 point safety belts.
- Please install the CRS according to the stickers on the broadside or the instruction manual.
- The CRS is only for forward facing installation.
- Only the correct usage of the safety belts can maximumly keep children away from injury when the accidents happen.
- When a collision happened in an accident, the safety of the passengers mainly depends on the structure of the car itself. The CRS can hardly fully protect the safety of the child in a serious accident. However, correct installation and usage of CRS can fundamentally improve the survival rate of children in an accident.
- Please ensure that all users can correctly understand the installation method of the CRS .
- Never use the CRS without cover.

- The seat cover should not be replaced with any other than one recommend by the manufacturer, because the cover constitutes an integral part of the restraint performance .
- When the car stopped in a place in direct sunlight, please cover the CRS. It shall be recommended that the chair shall be kept out of sunlight when the chair is not provided with a textile cover, otherwise it may be too hot for a child's skin.
- Please store the CRS in a secure place when you do not use it. Don't put heavy items on CRS.
- The products without certification licensed or modified products are dangerous, and the products without manufacturer's installation instruction manual is also very dangerous.
- Please follow the installation method given in the instruction manual, to avoid the CRS stuck in a vehicle seat or door when using.
- Do not try to disassemble the CRS parts or change the way of CRS belt, unless some situation mentioned in the manual.
- **Do not use any of the other stress points or installation points except those have identified.** 
- It is forbidden to put unfixed objects, such as books, bags, etc., on the back of the seat, in case it will cause serious damage when emergency breaking happen .
- It is also prohibited to install the CRS on a folding car seats without locked; No locked car seat backs may make the CRS invalid during emergency brake.
- It is prohibited to put a mat under CRS to raise the height, because an accident may cause failure of the CRS.
- Never leave your child unattended in the CRS , even in short time.
- If your child untie safety belt in the road, please park your car in a safe place, to fasten the seat belt again , then continue driving .
- **Please teach their children the right safety concept, and fasten your seat belt as a good example. Do not violate the security principle when your child crying.**
- Make sure that the vehicle safety belt is tight and no twisted when it is used to install the CRS.
- Make sure that the 5 point harness system is used in the correct way to keep the child safe .
- Check the lap belt ,ensure that it is in the right position and fasten well .it is very important to protect your child when crash happend .
- Do not change any part of the CRS before permitted by the manufacturer ,and it is very dangerous if the installation is not followed the instructions ,
- Please keep the instrcutions well for the further use .

SPARE PARTS




INSTALLATION WAY OF GROUP II,III(15-36KG)



Place your child on the car seat and pull out the safety belt as long as you can



Through the lap belt as fig.2




Through the shoulder belt across the guiding hook



Lock the safety buckle well




Tighten the belts




Check the vehicle safety belt, make sure it is tight and not twisted

ADJUSTMENT OF THE HEADREST




Adjusting the headrest by using the adjusting handle



Adjust the headrest to the right position as Fig.2




Too High



Too Low

Remove /install the cover



Maintenance of the child safety seats

Maintenance of the plastic parts of the seats

Only use sponge with neutral detergent to clean gently if there is any slight stain on the seat or the surface of the harness buckle.

The 5-point harness buckle is the essential security components of the product. It is not allowed to immerse the 5-point safety buckle in the liquids. If there is any dirt inside the buckle that cause the performance degradation, please contact your dealer for a new buckle.

Cleaning the harness

Please use neutral detergent (under 30 degree centigrade) to clean the harness, and avoid the liquids touching the metal parts on the harness

Cleaning the cover

Use neutral detergent (under 30 degree centigrade) and warm water to wash. Do not wash by machine.



Spin-dry or tumble-dry not suggested

Notice: Excessive scrubbing can destroy the cloth surface or the sponge



Do not use CRS without cover!



It is necessary to often check whether the components of the CRS is complete and whether the functions is well or not to avoid any accidents.

Please pull the harness of the buckle with power to check whether the buckle is loosen or not before using.

Avoiding storing the CRS in over cold, hot or wet environment.

The instruction manual should be kept during the life span of products.

Steps to take after an accident

Please replace the new seats after a fierce collision or a car accident. If in doubt, please contact the dealer or the manufacturer.